



















GENERAL CATALOGUE

www.bossproducts.in

ABOUT US

Our adhesives and sealing solutions can be found in a growing range of finished products across a wide spectrum of industries; something that can be directly attributed to our consistent growth, in addition to the superiority of our product range, our commitment to quality, and project expertise.



Vision


To become the leading customized sealing and bonding solutions provider for our customers in the Manufacturing & Assembly, Building & Construction, and Retail space in India.

Goals

We aim to be the ultimate one-stop solution for all our customers' sealing and bonding needs. We strive to achieve this ambition through:

- Commitment to sustainability
- Customer-centric innovation
- Customizing global solutions according to customers' needs;
- Delivering unmatched quality and cost-effectiveness
- People-centered operations





Research & C

We aim to deliver ever-increasing value to our customers through our Technology Centres located both in India and across strategic markets globally. We strive to continually achieve this through:

- Connecting our products and services to customer needs
- Constantly researching to exceed our clients' expectations
- Always offering best-in-class adhesion and sealing solutions
- Offering the most efficient solutions to our customers



BOSS 322 & 122 5 NEUTRAL SEALANTS 7 BOSS 389 ⁺ 7 BOSS 395AF 8-9 BOSS 395AF 8-9 BOSS 395AF 10 BOSS 395AF 10 BOSS 395AF 10 BOSS 395AF 12-13 BOSS 395 12-13 BOSS 395 14-15 ACRYLIC SEALANTS 17 BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 333 & 334 21 BOSS 333 & 334 21 BOSS 90 SL 25 BOSS PU SL 25 BOSS PU SL 25 BOSS PU SL 26 BOSS 7247 PA 29 BOSS 22 33 BOSS 234 34 BOSS 234 34 BOSS 235 35 BOSS 236 35 BOSS 238 36-37 BOSS 238 36-37 BOSS 238 36-37 BOSS 238 36-37 BOSS 238 36-37 </th <th>ACETOXY SEALANTS</th>	ACETOXY SEALANTS
BOSS 389* 7 BOSS 395AF 8-9 BOSS 395AF 10 BOSS 396 10 BOSS 388 11 BOSS 388 11 BOSS 388 12-13 BOSS 395 14-15 ACRYLIC SEALANTS 14-15 BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 333 & 334 21 BOSS 333 & 334 21 BOSS 133* 22-23 POLYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU SL 26 BOSS 7247 PA 29 BOSS 232 33 BOSS 232 33 BOSS 234 34 BOSS 234 34 BOSS 234 34 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS 240 39 BOSS MS40* 40 BOSS HYBRID SELECTION CHART 41	BOSS 322 & 122 5
BOSS 395AF 8-9 BOSS 396 10 BOSS 396 11 BOSS 388 11 BOSS 388 12-13 BOSS 395 14-15 ACRYLIC SEALANTS 14 BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 313 & 334 21 BOSS 813* 22-23 POLYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS 7247 PA 29 BOSS 232 33 BOSS 234 34 BOSS 235 35 BOSS 236 35 BOSS 237 33 BOSS 238 36-37 BOSS 239 38 BOSS 239 38 BOSS 239 38 BOSS 240 39 BOSS 400* 40 BOSS HYBRID SELECTION CHART 41	NEUTRAL SEALANTS
BOSS 396	BOSS 389 ⁺
BOSS 388 11 BOSS 532 12-13 BOSS 395 14-15 ACRYLIC SEALANTS 14-15 BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 333 & 334 21 BOSS 813 ⁺ 22-23 POLUYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU SL 26 BOSS PU SL 25 BOSS PU SL 27 BOSS PU SL 27 BOSS PU SL 26 BOSS PU SL 27 BOSS PU SL 28 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 235 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS 395AF 8-9
BOSS 532 12-13 BOSS 395 14-15 ACRYLIC SEALANTS 17 BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 333 & 334 21 BOSS 813* 22-23 POLYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU SD 26 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 29 BOSS 232 33 BOSS 234 34 BOSS 235 35 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40* 40 BOSS HYBRID SELECTION CHART 41	BOSS 396 10
BOSS 395 14-15 ACRYLIC SEALANTS 17 BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 333 & 334 21 BOSS 813* 22-23 POLUYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU SD 26 BOSS PU SD 26 BOSS PU SD 26 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 235 35 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS 1240 39 BOSS 1240 39 BOSS 240 39 BOSS 1404* 40 BOSS HYBRID SELECTION CHART 41	BOSS 388
ACRYLIC SEALANTS BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS BOSS 333 & 334 21 BOSS 813* 22-23 POLUVURETHANE ADHESIVES/SEALANTS BOSS PU SL 25 BOSS PU SL 26 BOSS PU S 26 BOSS PU S 27 BOSS PU S 28 BOSS 7247 PA 29 BOSS 232 33 BOSS 232 33 BOSS 234 34 BOSS 235 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40* 40 BOSS HYBRID SELECTION CHART 41	BOSS 532 12-13
BOSS 352 17 BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 333 & 334 21 BOSS 813 ⁺ 22-23 POLUYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU SL 26 BOSS PU S0 26 BOSS PU 25 27 BOSS PU 25 27 BOSS PU 47 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS 395
BOSS 354 18-19 POLYURETHANE FOAMS 21 BOSS 333 & 334 21 BOSS 813 ⁺ 22-23 POLUYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU SD 26 BOSS PU SD 27 BOSS PU SD 28 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 235 35 BOSS 238 36-37 BOSS 239 38 BOSS MS40 ⁺ 40	ACRYLIC SEALANTS
POLYURETHANE FOAMS BOSS 333 & 334	BOSS 352 17
BOSS 333 & 334 21 BOSS 813* 22-23 POLUYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU SL 26 BOSS PU 25 27 BOSS PU 25 27 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS 140* 40 BOSS 140* 41	BOSS 354
BOSS 813 ⁺ 22-23 POLUVURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU 50 26 BOSS PU 25 27 BOSS PU 25 27 BOSS PU 247 PA 28 BOSS CUT-THE-CRAP. 29 BOSS 232 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS 140 ⁺ 40 BOSS HYBRID SELECTION CHART 41	POLYURETHANE FOAMS
POLUYURETHANE ADHESIVES/SEALANTS 25 BOSS PU SL 25 BOSS PU 50 26 BOSS PU 25 27 BOSS PU 25 27 BOSS PU 25 28 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS 1940 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS 333 & 334
BOSS PU SL 25 BOSS PU 50 26 BOSS PU 25 27 BOSS PU LM 28 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS 813 ⁺
BOSS PU SL 25 BOSS PU 50 26 BOSS PU 25 27 BOSS PU 25 27 BOSS PU LM 28 BOSS 7247 PA 29 BOSS CUT-THE-CRAP 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS 140 ⁺ 40 BOSS HYBRID SELECTION CHART 41	POLUYURETHANE ADHESIVES/SEALANTS
BOSS PU 25 27 BOSS PU LM 28 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	
BOSS PU LM 28 BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS PU 50
BOSS 7247 PA 29 BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS PU 25
BOSS CUT-THE-CRAP. 30-31 HYBRID ADHESIVES/SEALANTS 33 BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS PU LM
HYBRID ADHESIVES/SEALANTS BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS 7247 PA
HYBRID ADHESIVES/SEALANTS BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	BOSS CUT-THE-CRAP
BOSS 232 33 BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	
BOSS 234 34 BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	
BOSS 236 35 BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	
BOSS 238 36-37 BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	
BOSS 239 38 BOSS 240 39 BOSS MS40 ⁺ 40 BOSS HYBRID SELECTION CHART 41	
BOSS 240	
BOSS MS40 ⁺	
BOSS HYBRID SELECTION CHART 41	
	ACCESSORIES 42

ACETOXY SEALANTS





SILICONE SEALANT



DESCRIPTION

BOSS® 322 100% Silicone Sealant is a paste-like, one-component material which cures to a tough, rubbery solid when exposed to moisture in the air. Since it will not flow under its own weight, this sealant can be applied overhead or on sidewall joints and surfaces without sagging, slumping or running off. It will adhere to clean metal, glass, most types of wood, ceramic, natural and synthetic fibre, as well as painted plastic surfaces.

APPLICATIONS

- Sealing in HVAC systems and cold storage containers
- Sealing trailers, truck cabs

COLOURS



PACKAGING

Available in 300 gms standard caulking cartridge.

BOSS 122

SILICONE SEALANT

DESCRIPTION

BOSS® 122 Silicone Sealant is a one-part, acetoxy-cure sealant that is designed for general sealing applications in construction, engineering and automotive segments. It is suitable for use on a variety of common materials such as clean metal, glass, different types of wood, ceramic and plastic surfaces.

APPLICATIONS

- General construction sealing applications
- Ideally suited for sealing glass windows, shopfront, aluminium joints and showcases
- General sealing in engineering and automotive industries

COLOURS



PACKAGING

Available in 260 ml & 280 ml standard caulking cartridge.









BOSS 389+

WEATHER SEALANT

DESCRIPTION

BOSS® 389* Weatherproofing Silicone Sealant is a construction-grade sealant that provides unmatched adhesion, weather resistance and can be used on a wide variety of materials. It is a one-part, neutral-curing, low-odour sealant.

FEATURES

- Long open time
- Permanently elastic after curing
- Weatherproof and waterproof
- Neutral cure suitable for use on masonry substrates
- Non-corrosive

APPLICATIONS

- Weatherproofing and waterproofing applications
- Sealing of uPVC and aluminium windows
- General purpose glazing
- Sealing and bonding glass, glazed surfaces, concrete, galvanized steel, ACP, anodized aluminium, cement, wood, ceramics, painted surface and many plastics


COLOURS



PACKAGING

Available in 290 ml cartridge. Available in 600 ml sausage for specific colours.







Sealing, sanitizing, protecting kitchen & bathroom fittings-joints from mould, mildew & fungus

BOSS 395AF

ANTI-FUNGAL BATHROOM & KITCHEN SEALANT

DESCRIPTION

BOSS® 395AF is a single-component, neutral antifungal silicone sealant which vulcanizes on exposure to moisture in the air at room temperature, to produce a flexible elastomeric sealant. It is easy to apply and offers excellent adhesion to a variety of non-porous substrates such as glass, glazed ceramic tiles and aluminium. It is resistant to ozone, ultraviolet radiation and temperature extremes.

FEATURES

- Contains fungicide
- Resistant to water, mould, mildew
- Easy to apply

APPLICATIONS

- Sealing around washbasins, bathtubs, shower cubicles
- Sealing all joints in and around sanitary fittings
- Sealing around kitchen sinks and counters
- For sealing around doors and windows
- Sealing joints between wall and floor tiles

COLOURS



PACKAGING

Available in standard 300 ml caulking cartridge.











RESISTANT



MOULD & MILDEW RESISTANT

WATERPROOF IN

Antifungal

Low odour Excellent adhesion

COLOURS

RESISTAN



BOSS 396

SILICONE SEALANT

DESCRIPTION

BOSS® 396 Neutral Silicone Sealant is a high-quality, low-odour, one-part, neutral-curing sealant that offers excellent adhesion and compatibility with a wide variety of substrates and excellent weather durability.

FEATURES

- Non-corrosive to metal
- Permanently flexible
- UV-resistant
- Low odour
- Excellent adhesion to most common building materials
- Resistant to moisture and temperature extremes

APPLICATIONS

- General purpose glazing and sealing applications
- Sealing and bonding glass, glazed surfaces, anodized aluminium, concrete, cement, wood and many plastics

COLOURS



PACKAGING

Available in 270 ml cartridge.





BOSS 388

WEATHER NEUTRAL SEALANT

DESCRIPTION

BOSS® 388 Neutral Weatherproofing Silicone is a one-part, neutral-cure, low-odour, construction-grade sealant that offers excellent adhesion, weatherability and compatibility with a wide variety of materials.

FEATURES

- Low odour
- Non-corrosive to metal
- Weatherproof, waterproof
- Excellent primerless adhesion

APPLICATIONS

• Sealing and bonding ACP, glass, glazed surfaces, galvanized steel, anodized aluminium, concrete, cement, wood, ceramics and painted surfaces

COLOURS



PACKAGING

Available in 280 ml cartridge.







Industrial-grade, custom-colour sealant for sealing metal panels, glass, ceramics, composite panels and other industrial applications where unique colours are required

BOSS 532

COLOUR SEALANT

DESCRIPTION

BOSS® 532 Colour is a high-quality, neutral-curing, general purpose sealant that has low odour and offers unparalleled adhesion and compatibility with a wide variety of substrates and weather durability.

FEATURES

- Good thermal stability
- Antifungal properties
- Excellent mechanical properties
- Good weatherability and UV resistance
- Excellent adhesion to most common substrates

APPLICATIONS

- Ideally suited for general purpose glazing, sealing and weatherproofing applications
- Has excellent adhesion to glass, glazed surfaces, anodized aluminium, concrete, cement, wood and many plastics
- Sealing and proofing joints in cleanroom manufacturing
- Panel bonding and sealing

COLOURS

Customized according to customer requirements, available in all RAL CLASSIC shades

PACKAGING

Available in 280 ml cartridge.









Sealant

NEUTRAL

NON-CORROSIVE

SUPERIOR ADHESION



NON-CORROSIVE



NEUTRAL CURE

ANTIFUNGAL

WEATHERPROOF









Industrial-grade sealing and bonding for automobiles, HVAC, clean room & cold storage manufacturing, electrical equipment and appliance parts

LIMIT

BOSS 395

INDUSTRIAL-GRADE SEALANT

DESCRIPTION

BOSS® 395 Neutral Non-Corrosive Industrial Silicone is a high-performance, one-component sealant formulated for industrial and electrical applications. It remains permanently flexible and exhibits excellent adhesion to a wide variety of substrates.

FEATURES

- Non-Corrosive
- Neutral cure, low odour
- VOC Compliant
- Permanently flexible
- Excellent adhesion to vinyl, wood, steel, aluminium, glass and plastic

APPLICATIONS

- Gasketing application in gear box, engine and other industrial applications, as it has a good resistance to gasoline, engine oil, gear oil & water
- Sealing electrical equipment
- Bonding appliance parts

CERTIFICATES

• FDA CFR 21- 177.2600

COLOURS



PACKAGING

Available in 280 ml standard caulking cartridge.









Sealant

NEUTRAL

NON-CORROSIVE







SUPERIOR ADHESION EXCELLENT

LOW ODOUR

WEATHERPROOF



FLEXIBLE





ACRYLIC SEALANTS





PAINTABLE SEALANT

DESCRIPTION

BOSS[®] **352** Paintable Sealant forms a tough, flexible, resilient bond to all building material surfaces. It has excellent resistance to water, weathering, and moisture vapour. It cures to produce a flexible seal that is durable.

FEATURES

- Paintable
- Permanently flexible
- Slump resistant
- Highly durable

APPLICATIONS

- Sealing around window and door frames
- Sealing around plasterboard
- Fills cracks and holes before painting
- Sealing low movement joints
- Sealing cracks in brickwork and concrete
- Sealing between light partition walls

COLOUR

White

PACKAGING

Available in standard 450 gms cartridge.





Sealing interior & exterior joints in windows, doors, cracks & gap-filling in building constructions

BOSS 354

INTERIOR & EXTERIOR SEALANT

DESCRIPTION

BOSS® 354 is a high-quality sealant that provides a long-lasting, permanently flexible seal that can be used for internal and external sealing around window frames and door frames. It is compatible with most materials used in construction; it exhibits good primer-less adhesion to uPVC, concrete, plaster, brick, stone, masonry, aluminium, glazed tiles, metals, painted surfaces, coated or uncoated wood, some plastics and many porous surfaces.

FEATURES

- Easy to apply and clean
- Durable and ageing-resistant
- Accommodates joint movement up to 15%
- Water-based and non-toxic

APPLICATIONS

- Sealing perimeters of doors and windows
- Filling common connection slots in construction
- Plasterboards, drywall panels
- Gaps between door frames and walls, foot baseboards & floor and brick slots

COLOUR



White

PACKAGING Available in 280 ml standard caulking cartridge.

















Interior & Exterior





POLYURETHANE FOAMS



BOSS 333

TRIPLE EXPANDING FOAM

DESCRIPTION

BOSS[®] **333** is a ready-to-use, multi-purpose, polyurethane foam that expands to three times its original volume when in contact with air. The product also has excellent insulating properties and superb adhesion to virtually all building materials.

APPLICATIONS

- Installation of doors and windows
- Filling of cavities, partition walls, ceiling and floor joints
- Sealing of all openings in roof constructions
- All foam applications in static joints

COLOUR



Champagne

PACKAGING

Available in 750 ml aerosol can

BOSS 334

MINIMAL EXPANDING FOAM

POLYLIBETHANE

DESCRIPTION

THERMAL

INSULATION

ENERGY EFFICIENCY

BOSS[®] **334** Window & Door Minimal-Expanding Gun Foam is a one-component, ready-to-use polyurethane foam, formulated to seal the gaps around windows and door frames, and other rough openings. It expands in contact with air to generate an effective seal and is proven not to distort or bow window and door frames.

APPLICATIONS

- Installing of doors and windows
- Filling of cavities
- Sealing of all openings in roof constructions
- Improving thermal insulation in cooling systems

COLOUR



PACKAGING Available in 750 ml aerosol can









Sealing, filling, fixing, insulating, mounting electric installations & fire-proof doors

BOSS 813+

FIRE RETARDANT FOAM

DESCRIPTION

BOSS® 813+ Fire Retardant foam is a one-component, self-expanding, ready to use PU-foam, which contains HCFC-free and CFC-free propellants which are not harmful for the ozone layer. The product has fire-retardant characteristics, according to the European standard EN 1366-4.

FEATURES

- High filling capacity- expandable by 35ltr
- High thermal and acoustic insulation
- Excellent bonding strength

APPLICATIONS

- Installation of fireproof doors and windows
- Sealing of fire-retardant joints
- Sealing gaps in electric installations

STANDARDS AND CERTIFICATES

- Tested according to standard EN 1366-4 for fire-resistant jointing
- Classification report according to EN 13501-2 by Warrington Exova (report nr.19660A)

COLOUR



PACKAGING Available in 750 ml aerosol can









POLYURETHANE ADHESIVES/SEALANTS



BOSS PU SL

CONSTRUCTION-GRADE POLYURETHANE SEALANT

DESCRIPTION

BOSS[®] **PU SL** is a polyurethane sealant that is self-levelling, one-component and moisture-curing. It cures into a flexible, durable, and weather-resistant elastomeric sealant that has very good adhesion to most construction materials.

FEATURES

- Easy to apply
- Self-levelling
- Usable up to max. slope of 3%
- Excellent chemical resistance
- Good weather and UV resistance

APPLICATIONS

- Sealing of construction joints in concrete floors
- All usual horizontal building, connection, expansion and dilatation joints
- Excellent for sealing of joints in environments where contact with fuel is expected

COLOURS



Concrete grey

PACKAGING

Available in standard 600 ml sausage.



HIGHLY FLEXIBLE



RESISTANT



PERMANENTLY ELASTIC







BOSS PU 50

POLYURETHANE ADHESIVE/SEALANT

DESCRIPTION

BOSS[®] **PU 50** is a fast-curing, one-component, moisture-curing polyurethane adhesive sealant, that turns into a flexible and durable elastomeric seam and has a very good adhesion to most industrial materials.

FEATURES

- Medium open-time
- High viscosity
- Applicable in warm and humid climate
- Permanently elastic after curing
- Good weatherability and UV resistance
- Watertight

APPLICATIONS

- Supple bonding and sealing in vibrating joints in automotive industry bus body, caravans & containers
- Adheres without primer to the most common substrates, such as glass, anodized aluminium, lacquered metal, wood, FRP and concrete

COLOURS



White Black

PACKAGING

Available in standard 600 ml sausage.

26 | BOSS PROFESSIONAL AND INDUSTRIAL RANGE











DURABLE



VIBRATION RESISTANT



BOSS PU 25

POLYURETHANE ADHESIVE/SEALANT

DESCRIPTION

BOSS[®] **PU 25** is a one-component, moisture-curing, polyurethane sealant. It cures into a flexible, durable, and weather-resistant elastomeric sealant that has very good adhesion to most construction and industrial materials.

FEATURES

- Medium open time
- High viscosity
- Applicable in warm and humid climate
- Permanently elastic after curing
- Good weather and UV resistance

APPLICATIONS

- Supple bonding and sealing in vibrating automotive industry bus body, caravans & containers
- Bonding of panel, ACP, roofing sheet etc
- As seam sealer with traditional weld or spot weld

COLOURS



PACKAGING

Available in standard 600 ml sausage.









PAINTABLE



GOOD Adhesion



BOSS PU LM

CONSTRUCTION-GRADE POLYURETHANE SEALANT

DESCRIPTION

BOSS[®] **PU LM** is a polyurethane adhesive sealant that is fast-curing, one-component and moisture-curing. Once set, it turns into a flexible, durable and resistant elastomeric seal and has a very good adhesion to most industrial materials.

FEATURES

- Easy to apply
- Permanently elastic after curing
- Very good adhesion on many materials
- Excellent resistance to UV radiation
- Excellent resistance to many chemicals

APPLICATIONS

- All usual building joints with high movement
- Connection joints between window frames, door frames and walls
- Joints with large movement

COLOURS

Concrete grey

PACKAGING

Available in standard 600 ml sausage.







HIGHLY FLEXIBLE

RESISTANT



HIGH MOVEMENT CAPABILITY





LIQUID POLYURETHANE ADHESIVE

DESCRIPTION

BOSS[®] **7247 PA** is a one-component, solvent-free, ready-to-use industrial-grade adhesive based on polyurethane. It has excellent adhesion, fast build-up of strength and fast-curing when moistened.

FEATURES

- Professional quality
- Flexible adhesive
- Very high final strength
- Moisture-resistant and weather-resistant

APPLICATIONS

- General bonding applications
- Bonding of rigid plastic panels
- Bonding of soft and hard polystyrene
- Bonding of different foam types like polyether, polyurethane etc.
- Bonding of paper, metal foils, textile, cork, wood, chipboard, concrete, masonry, brick and metal

COLOUR



PACKAGING

27 kg pack. Bulk packaging options available on request.








FAST CURE









BOSS CUT-THE-CRAP

INDUSTRIAL-GRADE CLEANER

Multipurpose, industrial-grade cleaner that is highly effective for removing oil, grease, dirt-residues, glue-residues, most types of hardened adhesives and sealants and other contaminants too.

FEATURES

- Removes dirt, grease, oil and many more contaminants
- Suitable for a wide range of surfaces
- Non-corrosive
- Non-streaking
- Fresh citrus scent

APPLICATIONS

- Removes residual adhesives and sealants
- Removes stains from any surfaces
- Cleans metal stairs, stoves, exhaust and other appliances
- Eliminates grease and oil from any material
- Gets rid of rust from metal surfaces, joints etc.



SHORTEST WAY FROM DIRTY TO CLEAN

HYBRID ADHESIVES /SEALANTS





HYBRID SEALANT





DESCRIPTION

BOSS® 232 is a one-component sealant based on Hybrid technology. It reacts with moisture in the air and gradually forms a high-strength elastomer with high movement capability.

FEATURES

- Non-staining on natural stone and reduces residue rundown on metal and glass panels
- Outstanding UV-resistance and weather-resistance
- Free of isocyanates, solvents, halogens and acids
- Paintable
- Good colour stability, unprimed adhesion and durability

APPLICATIONS

- Sealing porous substrates, natural stones, metals and glass
- Strong elastic bonding in vibrating constructions and industrial applications
- Sealing of floor joints
- Connection joints in sheet metal fabrication, ACP facades, sealing of air conditioning systems
- Waterproofing window frames and concrete crack-sealing during renovation work

COLOUR



PACKAGING

Available in standard 600 ml sausage.



















HYBRID SEALANT



DESCRIPTION

BOSS[®] **234** is a new sealant formulated with Hybrid technology to take the place of most traditional sealants. It is designed to resist all on-the-road flexing and vibrations. It provides permanent elastic adhesion to most surfaces, and is also paintable.

FEATURES

- Good weatherability and UV resistance
- Good extrudability
- No odour
- Good adhesion on moist substrates

APPLICATIONS

- Sealing and bonding in the engineering and construction industry
- Elastic structural bonding in constructions, automotives and HVAC, cold-storage containers
- Elastic bonding of panels, profiles and other pieces on the most common substrates (wood, MDF, chipboard, etc)

COLOURS



PACKAGING

Available in standard 600 ml sausage.







PAINTABLE



GOOD ADHESION







HYBRID ADHESIVE

DESCRIPTION

BOSS[®] **236** is a high-quality, neutral, elastic, one-component adhesive sealant based on Hybrid technology with a very high initial tack.

FEATURES

- Fast curing
- Good extrudability
- No odour
- Good weatherability and UV resistance
- High initial tack, reducing the need for initial support
- High shear strength after full cure (no primer)
- Stays elastic after curing

APPLICATIONS

- Elastic bonding of panels, profiles and other pieces on most common substrates (wood, MDF, chipboard, etc)
- Elastic structural bonding in automobile and container industry

COLOURS



PACKAGING

Available in standard 600 ml sausage.

















HIGH TACK







BOSS 238

HYBRID ADHESIVE/SEALANT

DESCRIPTION

BOSS® 238 is a high-quality, elastic, adhesive sealant for bonding and sealing, based on Hybrid technology. It has a good adhesion on plastics: polystyrene, polycarbonate, PVC, ABS, polyamide, fiberglass reinforced epoxy and polyester.

FEATURES

- Paintable
- No bubble formation in sealant
- Good weatherability and UV resistance
- High elasticity

APPLICATIONS

- HPL Cladding
- Structural bonding in vibrating constructions
- Bus, train and trucks: side-glass bonding, Volvo extrusion
- Roof panel bonding

COLOUR



PACKAGING Available in standard 600 ml sausage.



















HYBRID ADHESIVE

DESCRIPTION

BOSS® 239 is a high-quality, one-component adhesive based on Hybrid technology. It has an excellent primer-less adhesion to ABS and has good resistance to water, aliphatic solvents, mineral oils, grease, diluted inorganic acids, and alkalis.

FEATURES

- Used in the transport industry
- Very good mechanical characteristics
- Combines high end-strength with certain rigidity
- High initial tack and fast build-up of end-strength

APPLICATIONS

- Perfect for bonding of ABS plastics
- For bonding of textile, glass, metal, Plexiglas and many synthetic materials, both hard and soft
- Elastic structural bonding in automotive applications: buses, trains, trucks, caravans or trailers

COLOUR



White

PACKAGING

Available in standard 600 ml sausage.









PAINTABLE



RESISTANT









HYBRID WINDSCREEN ADHESIVE

DESCRIPTION

BOSS® 240 is a high-quality, one-component, solvent-free hybrid adhesive and joint sealant for the installation of windows on all types of vehicles.

FEATURES

- High end strength
- High initial tack
- Good weatherability and UV resistance
- Flexible

APPLICATIONS

• Installation of windscreens in vehicles

COLOUR



Black

PACKAGING

Available in standard 600 ml sausage.







HIGH STRENGTH



RESISTANT









BOSS MS40⁺

HYBRID SEALANT



DESCRIPTION

BOSS® MS 40+ is a new VOC-compliant sealant. It takes the place of most traditional sealants and is designed to resist all on-the-road flexing and vibration. The product is fast-curing and provides permanent elastic adhesion to most surfaces.

FEATURES

- Excellent adhesion on nearly all surfaces, even if slightly moist
- Very good mechanical characteristics
- High elasticity movement accommodation up to ±25%
- Good extrudability, even at low temperatures
- Can be painted with water based systems within 30 minutes
- Good colour stability, weatherability and UV resistance

APPLICATIONS

- Bonding applications in industrial, construction and automotive industries
- Strong and elastic bonding in vibration constructions
- Sealing of floor joints

COLOUR



White

PACKAGING

Available in 290 ml cartridge and 600 ml sausage.















BOSS HYBRIDS SELECTION CHART

Find the right BOSS Hybrid for your application

	BONDING TO ABS	SEALING	BONDING	INITIAL GRAB	STRENGTH & SPEED OF BONDING	NON-STAINING PROPERTIES
BOSS 232	*	****	**	**	***	****
BOSS 234	*	***	***	**	**	**
BOSS 236	**	*	****	****	****	**
BOSS 238	**	***	****	***	****	****
BOSS 239	****	**	****	****	****	**
BOSS 240	**	***	****	****	****	****
BOSS MS 40⁺	*	****	**	**	***	****

BOSS ACCESSORIES

BOSS® APPLICATOR- FOAM GUN

High-quality, light-weight applicator gun for professional applications of PU foam, for precise dosing and best cell structure. This PU foam gun is a necessary tool for application of gun-type PU foams. BOSS® Foam Gun Applicator is a superior-quality tool made from high density plastics, which are very easy to clean.

BOSS® APPLICATOR- CARTRIDGE GUN

BOSS® Applicator- Cartridge Gun is designed to smoothly dispense BOSS sealants from 310 ml cartridges. This lightweight applicator gun allows you to apply a range of BOSS sealants easily, creates shop efficiency during application of sealers and other materials for better, more cost-effective results. It also helps technicians apply more smoothly, reducing rework.

BOSS® APPLICATOR- SAUSAGE GUN

BOSS® Applicator- Sausage Gun is a high-quality, extremely durable caulking gun especially suited for heavy duty usage. It is ideal for the application and extrusion of sealants and adhesives packed in 600 ml sausage foil packaging. This sausage gun has a very high thrust ratio for quick, consistent application using least efforts and can be used easily for very high-viscosity materials as well.

BOSS® APPLICATOR- PNEUMATIC SAUSAGE GUN

BOSS® Applicator- Pneumatic Sausage Gun is a high-quality, pneumatic applicator designed for dispensing 310 ml and 600 ml (sold separately) sausage foil packaging. Its ergonomically balanced dispenser handle facilitates comfortable handling and precise control. This pneumatic applicator offers fast and easy application of adhesives and sealants and accepts standard air fittings for fast, efficient pneumatic operation, making it ideal for large volume jobs.

BOSS® C-33 GUN AND FOAM CLEANER

BOSS[®] Gun and Foam Cleaner is a ready-to-use cleaning aerosol for use on BOSS foams. It cleans and partially dissolves fresh and uncured PU foam and foam stains. It is also necessary for the cleaning and maintenance of PU foam guns. BOSS® C-33 Gun and Foam Cleaner is fitted with regular threaded adapter for foam guns, and includes spray attachment as well for use with a range of products.





BOSS® SURFACE ACTIVATOR

BOSS® Surface Activator is a primer- a degreaser and adhesion-promoter. It is used for cleaning, degreasing and activating of non-porous substrates. It improves adhesion to non-porous subfloors and raises final strength of MS and SMX[®] based sealants.











Accumetric Silicones Pvt. Ltd.

No. 16/1, Corporation Road, Seevaram, Perungudi, Chennai - 600096, Tamil Nadu, India For customer support: Tel.: +91 44 40 260345 - 60 indiasales@bossproducts.com

www.bossproducts.in