

BOSS[®]
PRODUCTS



GENERAL CATALOGUE

www.bossproducts.in

ABOUT US

Our adhesives and sealing solutions can be found in a growing range of finished products across a wide spectrum of industries; something that can be directly attributed to our consistent growth, in addition to the superiority of our product range, our commitment to quality, and project expertise.



Vision

To become the leading customized sealing and bonding solutions provider for our customers in the Manufacturing & Assembly, Building & Construction, and Retail space in India.

Goals

We aim to be the ultimate one-stop solution for all our customers' sealing and bonding needs. We strive to achieve this ambition through:

- Commitment to sustainability
- Customer-centric innovation
- Customizing global solutions according to customers' needs
- Delivering unmatched quality and cost-effectiveness
- People-centered operations



Research & Development

We aim to deliver ever-increasing value to our customers through our Technology Centres located both in India and across strategic markets globally. We strive to continually achieve this through:

- Connecting our products and services to customer needs
- Constantly researching to exceed our clients' expectations
- Always offering best-in-class adhesion and sealing solutions
- Offering the most efficient solutions to our customers



CONTENTS PAGE

ACETOXY SEALANTS

BOSS 322 & 122.....5

NEUTRAL SEALANTS

BOSS 389+7

BOSS 388.....8-9

BOSS 390.....10

BOSS 396.....11

BOSS 395.....12-13

BOSS 395AF.....14-15

ACRYLIC SEALANTS

BOSS 352.....17

BOSS 354.....18-19

POLYURETHANE FOAMS

BOSS 333 & 334.....21

BOSS 813+22-23

POLYURETHANE ADHESIVES/SEALANTS

BOSS PU Construction.....25

BOSS PU SL.....26

BOSS PU 2527

BOSS PU 5028

BOSS 7247 BS29

HYBRID ADHESIVES/SEALANTS

BOSS 235.....31

BOSS 236.....32

BOSS Rapid Fix Ultra33

BOSS 239.....34

BOSS 240.....35

BOSS MS40+36

BOSS HYBRID SELECTION CHART37

ACCESSORIES 38

ACETOXY SEALANTS



BOSS 322

SILICONE SEALANT



DURABLE



GOOD ADHESION



FOOD GRADE



DESCRIPTION

BOSS® 322 100% Silicone Sealant is a paste-like, one-component material which cures to a tough, rubbery solid when exposed to moisture in the air. Since it will not flow under its own weight, this sealant can be applied overhead or on sidewall joints and surfaces without sagging, slumping or running off. It will adhere to clean metal, glass, most types of wood, ceramic, natural and synthetic fibre, as well as painted plastic surfaces.

APPLICATIONS

- Sealing in HVAC systems and cold storage containers
- Sealing trailers, truck cabs

COLOURS



Clear



White



Black



Aluminium grey



Bronze

PACKAGING

Available in 300 gms standard caulking cartridge.

BOSS 122

SILICONE SEALANT

DESCRIPTION

BOSS® 122 Silicone Sealant is a one-part, acetoxy-cure sealant that is designed for general sealing applications in construction, engineering and automotive segments. It is suitable for use on a variety of common materials such as clean metal, glass, different types of wood, ceramic and plastic surfaces.

APPLICATIONS

- General construction sealing applications
- Ideally suited for sealing glass windows, shopfront, aluminium joints and showcases
- General sealing in engineering and automotive industries

COLOURS



Clear



White



Black

PACKAGING

Available in 260 ml & 280 ml standard caulking cartridge.



DURABLE



GOOD ADHESION



RESISTANT

NEUTRAL SEALANTS



BOSS 389+

WEATHER SEALANT

DESCRIPTION

BOSS® 389+ Weatherproofing Silicone Sealant is a construction-grade sealant that provides unmatched adhesion, weather resistance and can be used on a wide variety of materials. It is a one-part, neutral-curing, low-odour sealant.

FEATURES

- Long open time
- Permanently elastic after curing
- Weatherproof and waterproof
- Neutral cure - suitable for use on masonry substrates
- Non-corrosive

APPLICATIONS


- Weatherproofing and waterproofing applications
- Sealing of uPVC and aluminium windows
- General purpose glazing
- Sealing and bonding glass, glazed surfaces, concrete, galvanized steel, ACP, anodized aluminium, cement, wood, ceramics, painted surface and many plastics

COLOURS



PACKAGING

Available in 290 ml cartridge. Available in 600 ml sausage for specific colours.



HIGHLY FLEXIBLE



RESISTANT



NON-SLUMPING



BOSS 388

**CHOOSE YOUR COLOUR,
SEAL *WITH* CONFIDENCE**



BOSS 388

WEATHER NEUTRAL SEALANT

DESCRIPTION

BOSS® 388 Neutral Weatherproofing Silicone is a one-part, neutral-cure, low-odour, construction-grade sealant that offers excellent adhesion, weatherability and compatibility with a wide variety of materials.

FEATURES

- Low odour
- Non-corrosive to metal
- Weatherproof, waterproof
- Excellent primerless adhesion

APPLICATIONS

- Sealing and bonding ACP, glass, glazed surfaces, galvanized steel, anodized aluminium, concrete, cement, wood, ceramics and painted surfaces

COLOURS



PACKAGING

Available in 280 ml cartridge.



NON-CORROSIVE



NEUTRAL CURE



WATERPROOF

BOSS 390

GLAZING SILICONE SEALANT

DESCRIPTION

BOSS® 390 is a one-component, structural glazing sealant with excellent Tensile strength and aging resistance, ideal for curtain wall glazing. It offers strong adhesion on most substrates.

FEATURES

- Odourless and non-corrosive curing system
- Cures to an extremely tough, elastomeric sealant providing a durable and watertight bond
- Excellent weatherability with high resistance to UV radiation, heat, humidity, ozone, and temperature extremes
- Exhibits excellent mechanical properties for long-term performance

APPLICATION

- Structural glazing for curtain walls (glass and aluminum).
- Sealing in skylights, metal structures and other industrial construction assemblies.

COLOURS



Black

PACKAGING

Available in 280ml cartridge



NON-CORROSIVE



RESISTANT



GOOD
ADHESION

BOSS 396

SILICONE SEALANT

DESCRIPTION

BOSS® 396 Neutral Silicone Sealant is a high-quality, low-odour, one-part, neutral-curing sealant that offers excellent adhesion and compatibility with a wide variety of substrates and excellent weather durability.

FEATURES

- Non-corrosive to metal
- Permanently flexible
- UV-resistant
- Low odour
- Excellent adhesion to most common building materials
- Resistant to moisture and temperature extremes

APPLICATIONS


- General purpose glazing and sealing applications
- Sealing and bonding glass, glazed surfaces, anodized aluminium, concrete, cement, wood and many plastics

COLOURS



PACKAGING

Available in 270 ml cartridge.



HIGHLY FLEXIBLE



RESISTANT



NON-SLUMPING



Industrial-grade sealing and bonding for automobiles, HVAC, clean room & cold storage manufacturing, electrical equipment and appliance parts

BOSS 395

INDUSTRIAL-GRADE SEALANT

DESCRIPTION

BOSS® 395 Neutral Non-Corrosive Industrial Silicone is a high-performance, one-component sealant formulated for industrial and electrical applications. It remains permanently flexible and exhibits excellent adhesion to a wide variety of substrates.

FEATURES

- Non-Corrosive
- Neutral cure, low odour
- VOC Compliant
- Permanently flexible
- Excellent adhesion to vinyl, wood, steel, aluminium, glass and plastic

APPLICATIONS

- Gasketing application in gear box, engine and other industrial applications, as it has a good resistance to gasoline, engine oil, gear oil & water
- Sealing electrical equipment
- Bonding appliance parts

CERTIFICATES

- FDA CFR 21- 177.2600

COLOURS



PACKAGING

Available in 280 ml standard caulking cartridge.



NON-CORROSIVE



EXCELLENT ADHESION



FLEXIBLE





Sealing, sanitizing, protecting kitchen & bathroom fittings-joints from mould, mildew & fungus

BOSS 395AF

ANTI-FUNGAL BATHROOM & KITCHEN SEALANT

DESCRIPTION

BOSS® 395AF is a single-component, neutral antifungal silicone sealant which vulcanizes on exposure to moisture in the air at room temperature, to produce a flexible elastomeric sealant. It is easy to apply and offers excellent adhesion to a variety of non-porous substrates such as glass, glazed ceramic tiles and aluminium. It is resistant to ozone, ultraviolet radiation and temperature extremes.

FEATURES

- Contains fungicide
- Resistant to water, mould, mildew
- Easy to apply

APPLICATIONS


- Sealing around washbasins, bathtubs, shower cubicles
- Sealing all joints in and around sanitary fittings
- Sealing around kitchen sinks and counters
- For sealing around doors and windows
- Sealing joints between wall and floor tiles

COLOURS



PACKAGING

Available in standard 300 ml caulking cartridge.



HIGHLY FLEXIBLE



RESISTANT



MOULD & MILDEW
RESISTANT



ACRYLIC SEALANTS



BOSS 352

PAINTABLE SEALANT

DESCRIPTION

BOSS® 352 Paintable Sealant forms a tough, flexible, resilient bond to all building material surfaces. It has excellent resistance to water, weathering, and moisture vapour. It cures to produce a flexible seal that is durable.

FEATURES

- Paintable
- Permanently flexible
- Slump resistant
- Highly durable

APPLICATIONS

- Sealing around window and door frames
- Sealing around plasterboard
- Fills cracks and holes before painting
- Sealing low movement joints
- Sealing cracks in brickwork and concrete
- Sealing between light partition walls

COLOUR



White

PACKAGING

Available in standard 450 gms cartridge.



PAINTABLE



DURABLE



NON-SLUMPING



Sealing interior & exterior joints in windows, doors,
cracks & gap-filling in building constructions

BOSS 354

INTERIOR & EXTERIOR SEALANT

DESCRIPTION

BOSS® 354 is a high-quality sealant that provides a long-lasting, permanently flexible seal that can be used for internal and external sealing around window frames and door frames. It is compatible with most materials used in construction; it exhibits good primer-less adhesion to uPVC, concrete, plaster, brick, stone, masonry, aluminium, glazed tiles, metals, painted surfaces, coated or uncoated wood, some plastics and many porous surfaces.

FEATURES

- Easy to apply and clean
- Durable and ageing-resistant
- Accommodates joint movement up to 15%
- Water-based and non-toxic

APPLICATIONS

- Sealing perimeters of doors and windows
- Filling common connection slots in construction
- Plasterboards, drywall panels
- Gaps between door frames and walls, foot baseboards & floor and brick slots

COLOUR



White

PACKAGING

Available in 270 ml standard caulking cartridge.



INTERIOR &
EXTERIOR



FLEXIBLE



PAINTABLE



POLYURETHANE FOAMS



BOSS 333

TRIPLE EXPANDING FOAM



THERMAL
INSULATION



ENERGY
EFFICIENCY



DESCRIPTION

BOSS® 333 is a ready-to-use, multi-purpose, polyurethane foam that expands to three times its original volume when in contact with air. The product also has excellent insulating properties and superb adhesion to virtually all building materials.

APPLICATIONS

- Installation of doors and windows
- Filling of cavities, partition walls, ceiling and floor joints
- Sealing of all openings in roof constructions
- All foam applications in static joints

COLOUR



Champagne

PACKAGING

Available in 750 ml aerosol can

BOSS 334

MINIMAL EXPANDING FOAM

DESCRIPTION

BOSS® 334 Window & Door Minimal-Expanding Gun Foam is a one-component, ready-to-use polyurethane foam, formulated to seal the gaps around windows and door frames, and other rough openings. It expands in contact with air to generate an effective seal and is proven not to distort or bow window and door frames.

APPLICATIONS

- Installing of doors and windows
- Filling of cavities
- Sealing of all openings in roof constructions
- Improving thermal insulation in cooling systems

COLOUR



Champagne

PACKAGING

Available in 750 ml aerosol can



ACOUSTIC
INSULATION



HIGH YIELD



Sealing, filling, fixing, insulating, mounting electric installations & fire-proof doors

BOSS 813+

FIRE RETARDANT FOAM

DESCRIPTION

BOSS® 813+ Fire Retardant foam is a one-component, self-expanding, ready to use PU-foam, which contains HCFC-free and CFC-free propellants which are not harmful for the ozone layer. The product has fire-retardant characteristics, according to the European standard EN 1366-4.

FEATURES

- High filling capacity- expandable by 35ltr
- High thermal and acoustic insulation
- Excellent bonding strength

APPLICATIONS

- Installation of fireproof doors and windows
- Sealing of fire-retardant joints
- Sealing gaps in electric installations

STANDARDS AND CERTIFICATES

- Tested according to standard EN 1366-4 for fire-resistant jointing
- Classification report according to EN 13501-2 by Warrington Exova (report nr.19660A)

COLOUR



Pink

PACKAGING

Available in 750 ml aerosol can



**FIRE
RETARDANT**
up to EI 240



**ACOUSTIC
INSULATION**



HIGH YIELD



POLYURETHANE ADHESIVES/SEALANTS



BOSS PU Construction

CONSTRUCTION-GRADE POLYURETHANE SEALANT

DESCRIPTION

BOSS PU Construction is a high-performance, one-component polyurethane sealant designed for a variety of construction applications. It cures with atmospheric moisture to form a durable and flexible seal. This sealant offers excellent adhesion properties and is suitable for bonding and sealing a wide range of materials.

FEATURES

- Excellent workability
- High flexibility
- Very good adhesion on many materials without primer
- Excellent resistance to UV radiation
- Paintable

APPLICATION

- Expansion joints in building with high movement, highway, water conservancy project
- Bonding and joint sealing for precast panel, wood, aluminium and PVC joinery seams, curtain walls, concrete roof tiles in construction area
- Connection joints between window and doorframes and walls
- Expansion joints for other traditional construction materials


COLOURS



White Grey

PACKAGING

Available in standard 600 ml sausage.



HIGHLY FLEXIBLE



RESISTANT



GOOD
ADHESION



BOSS PU SL

CONSTRUCTION-GRADE POLYURETHANE SEALANT

DESCRIPTION

BOSS® PU SL is a polyurethane sealant that is self-levelling, one-component and moisture-curing. It cures into a flexible, durable, and weather-resistant elastomeric sealant that has very good adhesion to most construction materials.

FEATURES

- Easy to apply
- Self-levelling
- Usable up to max. slope of 3%
- Excellent chemical resistance
- Good weather and UV resistance

APPLICATIONS

- Sealing of construction joints in concrete floors
- All usual horizontal building, connection, expansion and dilatation joints
- Excellent for sealing of joints in environments where contact with fuel is expected


COLOURS



Concrete grey

PACKAGING

Available in standard 600 ml sausage.



HIGHLY FLEXIBLE



RESISTANT



PERMANENTLY ELASTIC



BOSS PU 25

POLYURETHANE ADHESIVE/SEALANT



DESCRIPTION

BOSS® PU 25 is a one-component, moisture-curing, polyurethane sealant. It cures into a flexible, durable, and weather-resistant elastomeric sealant that has very good adhesion to most construction and industrial materials.

FEATURES

- Medium open time
- High viscosity
- Applicable in warm and humid climate
- Permanently elastic after curing
- Good weather and UV resistance

APPLICATIONS

- Supple bonding and sealing in vibrating automotive industry - bus body, caravans & containers
- Bonding of panel, ACP, roofing sheet etc
- As seam sealer with traditional weld or spot weld

COLOURS



White Black Grey

PACKAGING

Available in standard 600 ml sausage.



FLEXIBLE



PAINTABLE



**GOOD
ADHESION**



BOSS PU 50

POLYURETHANE ADHESIVE/SEALANT



DESCRIPTION

BOSS® PU 50 is a fast-curing, one-component, moisture-curing polyurethane adhesive sealant, that turns into a flexible and durable elastomeric seam and has a very good adhesion to most industrial materials.

FEATURES

- Medium open-time
- High viscosity
- Applicable in warm and humid climate
- Permanently elastic after curing
- Good weatherability and UV resistance
- Watertight

APPLICATIONS

- Supple bonding and sealing in vibrating joints in automotive industry - bus body, caravans & containers
- Adheres without primer to the most common substrates, such as glass, anodized aluminium, lacquered metal, wood, FRP and concrete

COLOURS



White Black

PACKAGING

Available in standard 600 ml sausage.



HIGH STRENGTH



DURABLE



VIBRATION RESISTANT



BOSS 7247 BS

LIQUID POLYURETHANE ADHESIVE



DESCRIPTION

BOSS 7247 BS is a one-component, solvent-free, ready-to-use, construction adhesive based on polyurethane. It has excellent adhesion, a fast build-up of strength, and fast curing when moistened.

FEATURES

- Flexible adhesive.
- Foams up slightly and fills up cavities.
- Good temperature resistance.
- Moisture and weather resistant.
- Very high final strength.

APPLICATION

- Bonding of different foam types like polyether, polyurethane, and polystyrene.
- Bonding of paper, metal foils, felt, textile, cork, wood, chipboard, concrete, masonry, brick, and metal.
- Bonding of rigid plastic panels.
- Bonding of soft and hard polystyrene.
- General bonding applications.

COLOURS



Brown

PACKAGING



Available in a 25 kg pack



HIGH STRENGTH



FAST CURE



HYBRID ADHESIVES /SEALANTS



BOSS 235

HYBRID SEALANT



DESCRIPTION

BOSS® 235 is a high quality, neutral, elastic, one-component adhesive-sealant with very fast strength build-up based on SMX polymer.


FEATURES

- Good Adhesion on wide range of substrates
- Good flexibility and weather resistance
- Paintable
- Eco-Friendly

APPLICATIONS

- Designed for use in automotive applications where flexibility and vibration resistance are essential.
- Used in sealing and bonding joints and components in industrial machinery

COLOURS



White Black Grey

PACKAGING

Available in standard 600 ml sausage.



RESISTANT



NO-BUBBLES



BOSS 236

HYBRID ADHESIVE



DESCRIPTION

BOSS® 236 is a high-quality, neutral, elastic, one-component adhesive sealant based on Hybrid technology with a very high initial tack.

FEATURES

- Fast curing
- Good extrudability
- No odour
- Good weatherability and UV resistance
- High initial tack, reducing the need for initial support
- High shear strength after full cure (no primer)
- Stays elastic after curing

APPLICATIONS

- Elastic bonding of panels, profiles and other pieces on most common substrates (wood, MDF, chipboard, etc)
- Elastic structural bonding in automobile and container industry

COLOURS



White

PACKAGING

Available in standard 600 ml sausage.



FAST CURE



HIGH TACK



BOSS Rapid Fix Ultra

SMX Polymer

DESCRIPTION

BOSS® Rapid Fix Ultra is a high-tack SMX polymer adhesive designed for heavy-duty bonding and sealing, both indoors and outdoors. It delivers exceptional initial grab and durable bonding, suitable for porous, non-porous, wet and humid surfaces.

FEATURES

- Fast curing with high initial tack
- High final strength
- Excellent adhesion on a wide range of materials
- Stays permanently elastic after curing
- No bubble formation under high temperature and humidity
- No odour during or after application
- Good UV and weather resistant
- Does not corrode metals or alkaline surfaces

APPLICATION

- Bonding wooden door frames to concrete, brick, or stone surfaces
- Mounting decorative panels (ACP, WPC, plywood) on door surfaces or surrounds
- Fixing hardware or fittings on doors in bathrooms and kitchens
- Sandwiching door frames between stone or cladding materials
- Elastic bonding of door panels, trims, or profiles
- Sealing low-movement joints around door thresholds and sills

COLOURS



White

PACKAGING

Available in 290ml cartridge



FAST CURE



RESISTANT



VERSATILE
ADHESION

BOSS 239

HYBRID ADHESIVE



DESCRIPTION

BOSS® 239 is a high-quality, one-component adhesive based on Hybrid technology. It has an excellent primer-less adhesion to ABS and has good resistance to water, aliphatic solvents, mineral oils, grease, diluted inorganic acids, and alkalis.

FEATURES

- Used in the transport industry
- Very good mechanical characteristics
- Combines high end-strength with certain rigidity
- High initial tack and fast build-up of end-strength

APPLICATIONS

- Perfect for bonding of ABS plastics
- For bonding of textile, glass, metal, Plexiglas and many synthetic materials, both hard and soft
- Elastic structural bonding in automotive applications: buses, trains, trucks, caravans or trailers

COLOUR



White

PACKAGING

Available in standard 600 ml sausage.



PAINTABLE



RESISTANT



BOSS 240

HYBRID WINDSCREEN ADHESIVE



DESCRIPTION

BOSS® 240 is a high-quality, one-component, solvent-free hybrid adhesive and joint sealant for the installation of windows on all types of vehicles.

FEATURES

- High end strength
- High initial tack
- Good weatherability and UV resistance
- Flexible

APPLICATIONS

- Installation of windshields in vehicles

COLOUR



Black

PACKAGING

Available in standard 600 ml sausage.



HIGH STRENGTH



RESISTANT



BOSS MS40+

HYBRID SEALANT



DESCRIPTION

BOSS® MS 40+ is a new VOC-compliant sealant. It takes the place of most traditional sealants and is designed to resist all on-the-road flexing and vibration. The product is fast-curing and provides permanent elastic adhesion to most surfaces.

FEATURES

- Excellent adhesion on nearly all surfaces, even if slightly moist
- Very good mechanical characteristics
- High elasticity – movement accommodation up to $\pm 25\%$
- Good extrudability, even at low temperatures
- Can be painted with water based systems within 30 minutes
- Good colour stability, weatherability and UV resistance

APPLICATIONS

- Bonding applications in industrial, construction and automotive industries
- Strong and elastic bonding in vibration constructions
- Sealing of floor joints


COLOUR



White

PACKAGING

Available in 290 ml cartridge and 600 ml sausage.



HIGHLY FLEXIBLE



RESISTANT



BOSS HYBRIDS SELECTION CHART

Find the right BOSS Hybrid for your application



	BONDING TO ABS	SEALING	BONDING	INITIAL GRAB	STRENGTH & SPEED OF BONDING	NON-STAINING PROPERTIES
BOSS 235	★	★★★	★★★	★★	★★	★★
BOSS 236	★★	★	★★★★	★★★★	★★★★	★★
BOSS Rapid Fix Ultra	★★	★★★★	★★★★	★★★	★★★	★★
BOSS 239	★★★★	★★	★★★★	★★★★	★★★★	★★
BOSS 240	★★	★★★	★★★★	★★★★	★★★★	★★★★
BOSS MS 40+	★	★★★★	★★	★★	★★★	★★★★

Rating scale: 1-4

BOSS ACCESSORIES

BOSS® APPLICATOR- FOAM GUN

High-quality, light-weight applicator gun for professional applications of PU foam, for precise dosing and best cell structure. This PU foam gun is a necessary tool for application of gun-type PU foams. BOSS® Foam Gun Applicator is a superior-quality tool made from high density plastics, which are very easy to clean.




BOSS® APPLICATOR- CARTRIDGE GUN

BOSS® Applicator- Cartridge Gun is designed to smoothly dispense BOSS sealants from 310 ml cartridges. This lightweight applicator gun allows you to apply a range of BOSS sealants easily, creates shop efficiency during application of sealers and other materials for better, more cost-effective results. It also helps technicians apply more smoothly, reducing rework.

BOSS® APPLICATOR- SAUSAGE GUN

BOSS® Applicator- Sausage Gun is a high-quality, extremely durable caulking gun especially suited for heavy duty usage. It is ideal for the application and extrusion of sealants and adhesives packed in 600 ml sausage foil packaging. This sausage gun has a very high thrust ratio for quick, consistent application using least efforts and can be used easily for very high-viscosity materials as well.



BOSS® APPLICATOR- PNEUMATIC SAUSAGE GUN

BOSS® Applicator- Pneumatic Sausage Gun is a high-quality, pneumatic applicator designed for dispensing 310 ml and 600 ml (sold separately) sausage foil packaging. Its ergonomically balanced dispenser handle facilitates comfortable handling and precise control. This pneumatic applicator offers fast and easy application of adhesives and sealants and accepts standard air fittings for fast, efficient pneumatic operation, making it ideal for large volume jobs.

BOSS® C-33 GUN AND FOAM CLEANER

BOSS® Gun and Foam Cleaner is a ready-to-use cleaning aerosol for use on BOSS foams. It cleans and partially dissolves fresh and uncured PU foam and foam stains. It is also necessary for the cleaning and maintenance of PU foam guns. BOSS® C-33 Gun and Foam Cleaner is fitted with regular threaded adapter for foam guns, and includes spray attachment as well for use with a range of products.



BOSS® SURFACE ACTIVATOR

BOSS® Surface Activator is a primer- a degreaser and adhesion-promoter. It is used for cleaning, degreasing and activating of non-porous substrates. It improves adhesion to non-porous subfloors and raises final strength of MS and SMX® based sealants.



Accumetric Silicones Pvt. Ltd.

4th Floor, Door No. II - 23, Survey No. 296/11, 296/12, VSI Estate, Kottivakkam,
Thiruvannamipur, Chennai - 600041 For customer support: Toll Free: 1800-102-100
Whats App- 9090403054 | Email- info@bossproducts.in | Website- bossproducts.in